

INTERCOM MADE EASY

— = systeemkabel
Bij andere getwiste kabel 66% afstand!
Bij ongetwiste kabel max. 50 meter buitenpost naar videofoon.
UTP op aanvraag.

VideoVerdeler


De aders moeten echt OP de klemmen doorgelust worden!

M-40

De aders moeten echt OP de connector doorgelust worden!

N-waarde	Huisnummer	Switch ON
1	179	
2	181	
3	183	
4	185	
5	187	
6	189	
7	191	
8	193	
9	195	
10	197	
11	199	
12	201	
13	203	
14	205	
15	207	
16	209	
17	211	
18	213	
19	215	
20	217	
21	219	
22	221	
23	223	
24	225	
25	227	
26	229	
27	231	
28	233	
29	235	
30	237	
31	239	
32	241	
33	243	X
34	245	
35	247	
36	249	X
37	251	
38	253	X
39	255	
40	257	
41	259	X
42	261	
43	263	
44	265	
45	267	
46	269	
47	271	
48	273	
49	275	
50	277	
51	279	
52	281	
53	283	X
54	285	X
55	287	X
56	289	X
57	291	X
58	293	X
59	295	X
60	297	X
61	299	X
62	301	X

nelec
INTERCOM MADE EASY



nelec
INTERCOM MADE EASY